

Material and Methods

O. nubilalis populations and maize infestation in Slovakia

Collection data sheet - example

Locality, surnames	<i>Ostrinia nubilalis</i>				Broken stalks	Helicoverpa spp.	Diabrotica	Lethalogo. sp.	Heliothis spp./p.	ECR sum	
	silence ear	broken ear	ear	ECR						Fusarium spp.	adults
DKC8143	3	4	5	2		1				13	0.26
EG4707	4	3	3	5						15	0.30
DKC4863	3	1	4	12					Infected	20	0.54
DKC5170	3	2	5	8						28	0.52
EP4810	3	2	3	5						23	0.44
PE17773	1	4	4	7						26	0.48
NE4711	3	5	4	6		1				24	0.44
DKC4864	4	4	7	9						40	0.6
PO36079	3	12	7	13		1			Rust	27	0.44
EG6009	5	5	7	5						25	0.5
DKC4888	7	5	1	3		1				19	0.33
DKC8143	3	2	1	4						16	0.6
EP4810	7	10	7	0						34	0.79
EP4810	10	4	14							27	0.53
EP4810	10	4	14							28	0.4
DKC4888	1	1	1	7						11	0.5
DKC4888	4	4	4	3						15	0.62
DKC8143	0	10	5	6						21	0.62
ECR sum										410	
Observed plants										660	
Not damaged										12 000	















